



# MATERIAL SAFETY DATA SHEET

## Leisure Time Filter Clean

### 1. Product And Company Identification

<b>Supplier</b> Leisure Time 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com	<b>Manufacturer</b> Advantis Technologies, Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com
<b>Supplier Emergency Contacts &amp; Phone Number</b> CHEMTREC - DAY OR NIGHT: (800) 424-9300	<b>Manufacturer Emergency Contacts &amp; Phone Number</b> CHEMTREC - DAY OR NIGHT: (800) 424-9300

Issue Date: 05/09/2005

Product Name: Leisure Time Filter Clean  
 Chemical Name: Sulfuric and Hydrochloric Acid  
 Chemical Family: Acid  
 Chemical Formula: Proprietary Mixture  
 MSDS Number: 338

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
CITRICACID	77-92-9	
HYDROCHLORIC ACID	7647-01-0	
OCTYLPHENOL 12-13 EO POLYETHOXYLATE	9004-87-9	
SULFURIC ACID	7664-93-9	

Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).

### Hazards Identification (Pictograms)



### 3. Hazards Identification

**Primary Routes(s) Of Entry**  
 Skin Contact, Eye Contact

**Eye Hazards**  
 Causes irreversible eye damage.

**Skin Hazards**  
 Causes skin irritation.

**Ingestion Hazards**  
 If ingested, get immediate medical attention. Causes severe digestive tract burns.

## Leisure Time Filter Clean

### 3. Hazards Identification - Continued

#### Inhalation Hazards

Causes respiratory tract irritation.

#### Signs And Symptoms

Irritation of Eyes, Skin and Respiratory Passages

### First Aid (Pictograms)



### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes.

Call a physician or a poison control center immediately.

#### Skin

Wash the affected area under tepid running water using a mild soap. Remove contaminated clothing and shoes.

#### Ingestion

DO NOT INDUCE VOMITING. Get medical attention immediately. If victim is fully conscious, give one or two cups of water or milk to drink.

#### Inhalation

If breathing is difficult, give oxygen. If inhaled, remove to fresh air. Consult a physician.

### Fire Fighting (Pictograms)



### 5. Fire Fighting Measures

Flash Point: n/a °F

Flammability Class: n/a

#### Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

#### Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

### 6. Accidental Release Measures

Clean up spill immediately. Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Neutralize spill area with soda ash or lime. Flush spill area with water. Use appropriate containers to avoid environmental contamination.

### 7. Handling And Storage

#### Handling And Storage Precautions

Keep out of reach of children. Store material in a cool and dry place.

#### Handling Precautions

Do not get in eyes.

#### Storage Precautions

Keep out of reach of children. Store in a cool dry place. Avoid contact with Alkalis, Amines, and Metals

## Leisure Time Filter Clean

### 7. Handling And Storage - Continued

#### Work/Hygienic Practices

Use safe chemical handling procedures suitable for the hazards presented by this material.

#### Protective Clothing (Pictograms)



### 8. Exposure Controls/Personal Protection

#### Engineering Controls

Local exhaust acceptable. Special exhaust not required

#### Eye/Face Protection

Faceshield over safety glasses or goggles.

#### Skin Protection

Plastic or rubber apron. Chemical-resistant gloves.

#### Respiratory Protection

None normally required.

#### Ingredient(s) - Exposure Limits

HYDROCHLORIC ACID

ACGIH TLV-CEILING 5 ppm

OSHA PEL-CEILING 5 ppm

SULFURIC ACID

ACGIH TLV-STEL 3 mg/m<sup>3</sup>

ACGIH TLV-TWA 1 mg/m<sup>3</sup>

OSHA PEL-TWA 1 mg/m<sup>3</sup>

### 9. Physical And Chemical Properties

#### Appearance

Pale amber liquid

#### Odor

Mild

**Chemical Type:** Mixture

**Physical State:** Liquid

**Melting Point:** n/a °F

**Boiling Point:** 212 °F

**Specific Gravity:** 1.08

**Percent Volitales:** Not Determined

**Vapor Pressure:** Not Determined

**Vapor Density:** >1

**pH Factor:** 0-2

**Solubility:** Soluble in Water

**Viscosity:** Not Determined

**Evaporation Rate:** <1

### 10. Stability And Reactivity

**Stability:** Stable

**Hazardous Polymerization:** Will not occur

#### Conditions To Avoid (Stability)

Avoid contact with strong Amines, Alkalis, and Metals

## Leisure Time Filter Clean

### 10. Stability And Reactivity - Continued

#### Incompatible Materials

Alkalis, Amines and Metals

#### Hazardous Decomposition Products

Oxides of Nitrogen, Hydrogen, Sulfur and Carbon

### 11. Toxicological Information

#### Ingredient(s) - Carcinogenicity

SULFURIC ACID

NTP - Listed On The National Toxicology Program

Listed In The IARC Monographs

### 12. Ecological Information

No Data Available...

### 13. Disposal Considerations

Refer to applicable local, state and federal regulations as well as industry standards.

### 14. Transport Information

#### Proper Shipping Name

CORROSIVE LIQUIDS N.O.S. (Hydrochloric and Sulfuric Acids)

#### Hazard Class

8, PGII (<=1L Consumer Commodity ORM-D)

#### DOT Identification Number

UN1760

#### DOT (Pictograms)



### 15. Regulatory Information

#### SARA Title III - Section 313 Supplier Notification

This product contains the following toxic chemicals that are subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.

HYDROCHLORIC ACID (7647-01-0) %

SULFURIC ACID (7664-93-9) %

This information must be included on all MSDSs that are copied and distributed for this material.

#### Ingredient(s) - U.S. Regulatory Information

HYDROCHLORIC ACID

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SULFURIC ACID

SARA Title III - EPA Part 355 Extremely Hazardous Substance

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

#### Ingredient(s) - State Regulations

HYDROCHLORIC ACID

New Jersey - Workplace Hazard

New Jersey - Environmental Hazard

New Jersey - Special Hazard

New Jersey - TCPA Extraordinarily Hazardous Substance

Pennsylvania - Workplace Hazard

## Leisure Time Filter Clean

### 15. Regulatory Information - Continued

#### Ingredient(s) - State Regulations - Continued

Pennsylvania - Environmental Hazard  
 Massachusetts - Hazardous Substance  
 New York City - Hazardous Substance  
**SULFURIC ACID**  
 New Jersey - Workplace Hazard  
 New Jersey - Environmental Hazard  
 New Jersey - Special Hazard  
 Pennsylvania - Workplace Hazard  
 Pennsylvania - Environmental Hazard  
 California - CalARP Table 3 Regulated Substance  
 Massachusetts - Hazardous Substance  
 New York City - Hazardous Substance

#### Canadian Regulatory Information

Class D, Div 1A - Poisonous or Infectious Material: immediate and serious toxic effects  
 Class D, Div 2A,B - Poisonous or Infectious Material: other toxic effects  
 Class E - Corrosive Material

#### NFPA



#### HMIS

HEALTH	3
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	D

### 16. Other Information

#### Revision/Preparer Information

MSDS Preparer: JHW3  
 This MSDS Supercedes A Previous MSDS Dated: 05/01/2002

#### Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Leisure Time