



# MATERIAL SAFETY DATA SHEET

## Leisure Time Wood Stains

<b>1. Product And Company Identification</b>			
<b>Supplier</b> Leisure Time 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States  Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com		<b>Manufacturer</b> Advantis Technologies Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States  Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com	
<b>Supplier Emergency Contacts &amp; Phone Number</b> <b>CHEMTREC - DAY OR NIGHT: (800) 424-9300</b>		<b>Manufacturer Emergency Contacts &amp; Phone Number</b> <b>CHEMTREC - DAY OR NIGHT: (800) 424-9300</b>	
<b>Issue Date:</b> 04/19/2001  <b>Product Name:</b> Leisure Time Wood Stains <b>CAS Number:</b> Not Established <b>Chemical Family:</b> Wood Stain <b>Chemical Formula:</b> Proprietary Mixture <b>MSDS Number:</b> 134			
<b>2. Composition/Information On Ingredients</b>			
	Ingredient Name	CAS Number	Percent Of Total Weight
	2-BUTOXYETHANOL	111-76-2	
	ETHYLENE GLYCOL	107-21-1	
	ETHYLENE GLYCOL MONOPROPYL ETHER	2807-30-9	
Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).			
<b>3. Hazards Identification</b>			
<b>Primary Routes(s) Of Entry</b> Skin Contact  <b>Eye Hazards</b> Causes eye irritation.  <b>Skin Hazards</b> Causes skin irritation.  <b>Ingestion Hazards</b> If ingested, get immediate medical attention  <b>Inhalation Hazards</b> Causes respiratory tract irritation.  <b>Teratogenicity (Birth Defects)</b> Prolonged or repeated contact with skin may result in dermatitis of blood disorders. Contains a potential teratogen.			

# MATERIAL SAFETY DATA SHEET

## Leisure Time Wood Stains

### 3. Hazards Identification - Continued

#### Signs And Symptoms

Irritation of Eyes and Respiratory passages

#### First Aid (Pictograms)



### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

#### Skin

In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

#### Ingestion

Drink large amounts of water or milk. Induce vomiting. Contact a physician or poison control.

#### Inhalation

If inhaled, remove to fresh air. Consult a physician. If breathing is difficult, give oxygen.

#### Fire Fighting (Pictograms)



### 5. Fire Fighting Measures

**Flash Point:** n/a °F

#### Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

#### Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

### 6. Accidental Release Measures

Clean up spill immediately. Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Use appropriate containers to avoid environmental contamination.

### 7. Handling And Storage

#### Handling And Storage Precautions

Keep out of reach of children. Store material in a cool and dry place. Store away from strong oxidizers and caustics. Store in sealed containers.

#### Storage Precautions

Store in a cool dry place. Store away from oxidizers and caustics

#### Work/Hygienic Practices

Use safe chemical handling procedures suitable for the hazards presented by this material.

Triple rinse all empty containers with a small quantity of water, collecting the rinses for suitable disposal. This product may contain materials that are subject to the California's Safe Drinking Water and Toxic Enforcement Act of 1986(Prop

# MATERIAL SAFETY DATA SHEET

## Leisure Time Wood Stains

### 7. Handling And Storage - Continued

#### Work/Hygienic Practices - Continued

65) This product may contain traces of ethylene oxide, benzene, dioxane, or ethyl acrylate

#### Protective Clothing (Pictograms)



### 8. Exposure Controls/Personal Protection

#### Engineering Controls

Use with adequate general and local exhaust ventilation. Mechanical exhaust advisable.

#### Eye/Face Protection

Safety glasses with side shields or goggles.

#### Skin Protection

Chemical-resistant gloves.

#### Respiratory Protection

In case of inadequate ventilation, use NIOSH-approved respirator

#### Ingredient(s) - Exposure Limits

2-BUTOXYETHANOL

ACGIH TLV-TWA 20 ppm (Skin)

OSHA PEL-TWA 50 ppm (Skin)

ETHYLENE GLYCOL

ACGIH TLV-CEILING 100 mg/m<sup>3</sup>

### 9. Physical And Chemical Properties

#### Appearance

opaque liquid

#### Odor

characteristic

**Chemical Type:** Mixture

**Physical State:** Liquid

**Melting Point:** n/a °F

**Boiling Point:** 168 °F

**Specific Gravity:** 1.01-1.02

**Molecular Weight:** NOT DETERMINED

**Percent VOCs:** <0.1%

**Vapor Pressure:** 100mm

**pH Factor:** <2

**Solubility:** SOLUBLE IN WATER

**Evaporation Rate:** > 1

### 10. Stability And Reactivity

**Stability:** STABLE

**Hazardous Polymerization:** WILL NOT OCCUR

#### Conditions To Avoid (Stability)

Avoid contact with strong oxidizing agents. High temperatures.

# MATERIAL SAFETY DATA SHEET

## Leisure Time Wood Stains

### 10. Stability And Reactivity - Continued

#### Incompatible Materials

Avoid contact with strong oxidizing agents.

#### Hazardous Decomposition Products

Thermal decomposition may result in the evolution of CO<sub>2</sub>, CO, or acrylic monomers.

### 11. Toxicological Information

No Data Available...

### 12. Ecological Information

No Data Available...

### 13. Disposal Considerations

Refer to applicable local, state and federal regulations as well as industry standards.

### 14. Transport Information

#### Proper Shipping Name

NOT REGULATED

#### Hazard Class

NOT ASSIGNED

#### DOT Identification Number

NONE

### 15. Regulatory Information

#### Ingredient(s) - U.S. Regulatory Information

2-BUTOXYETHANOL

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SARA - Acute Health Hazard

SARA - Chronic Health Hazard

SARA - Fire Hazard

ETHYLENE GLYCOL

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SARA - Acute Health Hazard

SARA - Chronic Health Hazard

ETHYLENE GLYCOL MONOPROPYL ETHER

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SARA - Acute Health Hazard

SARA - Chronic Health Hazard

SARA - Fire Hazard

#### State Regulations

California Proposition 65: This product had been reviewed for Prop 65 components and the following applies:  
Warning: This product may contain substance(s) which are known to the State of California to cause cancer or reproductive harm. (Contents may contain trace levels of (<10 ppm) of Ethylene Oxide, Benzene, Dioxane, or Ethyl Acrylate.)

#### Ingredient(s) - State Regulations

2-BUTOXYETHANOL

New Jersey - Workplace Hazard

New Jersey - Environmental Hazard

Pennsylvania - Workplace Hazard

# MATERIAL SAFETY DATA SHEET

## Leisure Time Wood Stains

### 15. Regulatory Information - Continued

#### Ingredient(s) - State Regulations - Continued

Massachusetts - Hazardous Substance  
New York City - Hazardous Substance  
ETHYLENE GLYCOL  
New Jersey - Workplace Hazard  
New Jersey - Environmental Hazard  
Pennsylvania - Workplace Hazard  
Massachusetts - Hazardous Substance  
New York City - Hazardous Substance  
ETHYLENE GLYCOL MONOPROPYL ETHER  
New Jersey - Workplace Hazard  
New Jersey - Environmental Hazard  
New York City - Hazardous Substance

#### NFPA



#### HMIS

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	B

### 16. Other Information

#### Revision/Preparer Information

MSDS Preparer: JHW3

This MSDS Superceeds A Previous MSDS Dated: 11/20/2000

#### Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Leisure Time